WATER SUPPLY SYSTEM MANAGEMENT PLAN CHECK LIST

| Comments Receiv | ed From: |
|-----------------------------|--|
| DEM | |
| | |
| | |
| | |
| | |
| | |
| LEGISLATIVE N | ANDATE: |
| | neral Laws Title 46 Waters & Navigation, Chapter 46-15.3 Public Drinking |
| Water Supply System | |
| | |
| maintained, and o | re: To insure that water supply system management plans are prepared, carried out by each municipality and by each municipal department, agency, |
| district, authority | , or other entity engaged in or authorized to engage in the supply, treatment, |
| transmission, or d | istribution of drinking water, and that the said plans and their execution achieve |
| | efficient conservation, development, utilization, and protection of this finite |
| natural resource in | n ways that meet the present and future needs of the state and its people. |
| | |
| | |
| 8.00 Plan Conter | nts |
| | |
| Plans s | hall be prepared in the format regularly used by the supplier for other reports. |
| Plan sh | all include an Executive Summary. |
| | |
| 8.01 Goals Stater | nent [Chapter 46-15.3-5.1 (a) of RI General laws] |
| | |
| a) Stated | goals shall promote effective and efficient; |
| | |
| - | Conservation |
| - | Development |
| - | Utilization |
| - | Protection of the states' surface and ground water resources. |
| | |
| | |
| b) Goal st | tatements shall be; |
| | |
| - | Consistent w/comprehensive plans of municipalities & |
| | State Guide Plan Element 721 |

8.02 Water Supply System Description [Chapter 46-15.3-5.1 (b) of RI General laws]

| a) Organization and Legal Structure: | |
|--|--|
| - Description | |
| - Owner | |
| - CEO | |
| - Director or agency head | |
| - Board of Directors | |
| - Organization Chart - Mgmt & Operation | |
| - Each mgmt. Position - major responsibilities | |
| - Describe legal basis | |
| Describe legal basis | |
| b) System Overview | |
| - System components | |
| - Functions | |
| - Relationships | |
| - Recent improvements | |
| - Schematic Drawing of | |
| - Water supply sources | |
| - Infrastructure components | |
| - Transmission lines | |
| - Treatment & storage facilities | |
| - Pump stations | |
| - System interconnections | |
| c) Supply Sources | |
| | |
| - Listed, mapped, description | |
| - Surface & groundwater supplies | |
| Operating status of each supply source | |
| - Abandoned (existing info) | |
| - Active | |
| - Emergency | |
| - Temporarily Inactive | |
| - Discussion (regions) of each | |
| 1) Surface Water Sources | |
| - Location of - | |
| - Source | |

| | - Intake struct | tures |
|----|---|---|
| | - Impoundme | nt & watershed |
| | - Water suppl | ier owned land (mapped to scale) |
| | | |
| | - Description of | |
| | - Impoundme | nt |
| | - Surface area | |
| | - Size & Eleva | |
| | - Stage storage | |
| | | ble storage capacity |
| | - Watershed a | creage |
| | - Existing or p | proposed minimum downstream |
| | discharge ra | tes imposed |
| | For systems w/mult | inla impoundment's |
| | - | iple impoundment's |
| | | of reservoir - as distribution or storage |
| | w/description o | f relation of components |
| | 2) Groundwater Sources | |
| | Logation of walls n | rinainla aquifora racharga arass and |
| | - | rinciple aquifers, recharge areas and |
| | owned lands mappe • Description of Well | |
| | Description of WellType/location | |
| | • • | |
| | - Depth/diameter | |
| | • Pump | |
| | - Type | |
| | - Age | .1 11.6. |
| | - Remaining usefu | <u> </u> |
| | • Well | |
| | - It's rated capacit | • |
| | _ | ad depth of screen from the surface |
| | - Slot size | |
| | - Casing material | |
| | Monitoring program | |
| | | ons(include monitoring wells) |
| | | llected (include measured parameters) |
| | - Frequency of m | onitoring |
| c) | c) Infrastructure Components | |
| -, | • Listed | |
| | Mapped | |
| | Description of each | |
| | | |

| Pressure zones depicted on map | | | | |
|--|---------|--|--|--|
| 1) Treatment Facilities | | | | |
| • Name | | | | |
| Location | | | | |
| Sources treated | | | | |
| Treatment-type available | | | | |
| Design flow | | | | |
| Emergency provisions(description) | | | | |
| i.e. (energy generators, chemical feed by passes | | | | |
| Disposal of filter backwash(description) | | | | |
| Treatment tank sludge & disposal site(description) | | | | |
| 2) Storage Facilities | | | | |
| Describe the following; | | | | |
| • Name | | | | |
| Location | | | | |
| Usable volume | | | | |
| • Age | | | | |
| Condition | | | | |
| Date of last inspection | | | | |
| New storage facilities-constructive material, interior | | | | |
| paint coating or lining, cathodic protection | | | | |
| 3) Pump Stations | | | | |
| Describe the following: | | | | |
| • Name | | | | |
| Location | | | | |
| Capacity | | | | |
| Number of stations | | | | |
| Related hydropneumatic storage tanks | | | | |
| Emergency power provisions for each | | | | |
| 4) Transmission Facilities | | | | |
| Describe the following: | | | | |
| Type of pipe | | | | |
| Length | | | | |
| Diameter | | | | |
| Age (actual year installed to nearest 10-year incr | rement) | | | |

| Condition Leakage & repair history e) Interconnections (All available-permanent/emergency) | |
|---|--|
| Listed Mapped Operational parameters (explained) Frequency of use (quantity) Capacity Condition Pumping facilities (describe) Requirements of: legal technical financial Hydraulic or contractual limitations Contract summaries for purchases and sales | |
| f) Service Area (All available-present/planned extensions) • Description • Mapped • Legally defined area to be served • Eligible areas to be served • Water services - present & historic • Present population served • Present population not served but eligible to be served • Population distribution patterns & demographics (CCP's) | |
| g) Metering (describe) • Extent • Reading • Testing • Calibration • Repair/replacement • Location of (masters mapped) • Extent of distribution % of total connections • Major users • Age • Current programs for above • System specific characteristics affecting longevity | |
| h. System Production Data | |

• Volume withdrawn/source/and total sys.

| | - Current yr. | |
|------|---|---------------|
| | - Historic | |
| | - Gallons/monthly & annual | |
| | Volume bought & sold/other supplier | |
| | - Gallons/monthly & annual | |
| | · | |
| | i) Water Use Data (current and historic) | |
| | Changes over time | |
| | Describe changes and when | |
| | Impacts water saving devices- methodology for assumptions | |
| | • Water Use data has: | |
| | - Per capita - monthly & annual | |
| | - Maximum daily demand- if available | |
| | - Such as Peak hour | |
| | - Historic-annual OK | |
| | - Peaking factor MDD/ADD | |
| | Water use analyzed user category (SIC) | |
| | Major users | |
| | Describe legal obligations and amounts | |
| | Estimate-evaluate | |
| | - Fire Fighting | |
| | - Non-Account (including system use-unmetered public use | e) |
| | - Meter inaccuracies-major leaks (annual basis % of | |
| | water produced) | |
| | Water Conservation Programs (describe) | |
| | - Impact of saving devices on per capita-by user category | |
| | (Assumptions and Methodology) | |
| | j) System Deficiencies (summarized) | |
| | Needed improvements | |
| | | |
| 8.03 | Requirements of the Water Quality Protection Component [Chapter 46-15.3-7.3 of RI General laws] | |
| | | ty protoction |
| | a) Supplier sells more than 50 million gallons per year than a water quali | ly protection |
| | Component must be completed which at a minimum includes: | |
| | 1) Delineation of source water protection areas | |

| i) | Groundwater systems - delineation in accordance with accepted methods under State's approved Wellhead Protection Program. (To include non-contiguous recharge areas) |
|-----|---|
| | Surface water systems - delineation must include entire watershed area ostream of the intake structure. (To include diverted waters) |
| In | Groundwater/Surface Water Interface - when delineating consider apacts of groundwater on surface water - may include surface water entribution areas |
| | ory of significant potential sources of contaminants of concern in each water protection area. |
| i) | Contaminants of Concern |
| ii) | Must include: Those regulated under the Safe Drinking Water Act Contaminants with a maximum contaminant level Contaminants regulated under the Surface Water Treatment Rule Microorganism Cryptosporidium Contaminants the DOH has determined may represent a threat to public health Significant Potential Sources |
| In | ventory to include: Description of sources of contamination by location either specific or by area. Appendix A |
| iii | to a limited number of locations; • Identify names and addresses For those that cover large areas and multiple landowners; • Identify geographic area where located • Mapped |
| *] | Current zoning and land use If copper sulfate or other algaecide is applied than describe; Their tributaries Frequency Amount of applications |

| 3) Determination of Source Water Susceptibility |
|---|
| i) For all new sources of contamination to the water source |
| ii) Describe: How results of the susceptibility analysis identifies sources of contamination of the public water supply How significant the threat is Relative threat of contamination between sources within the source water protection area |
| 4) Describe; • Present and past efforts to protect water quality both • regulatory and non regulatory • Public education initiatives • Land acquisitions • Acquisition of buffer zones • Diversion and/or treatment of storm waters or spills • Desirable land use control regulations |
| 5) Identification of protection strategies For protecting surface or groundwater quality Include strategy for public education that fosters WQP |
| 6) Implementation strategy for the above to include; Discussion of problems How they will be resolved Priority list of actions 5 year implementation schedule Description of ongoing efforts |
| 7) Document efforts to coordinate implementation recommendations with municipal officials or land use governing boards (documented) |
| 8) Reference of approved Wellhead Protection Plan 9) Items listed as 2(ii), 2(iii) and 3(ii) are optional for any updates (Required susceptibility determination for all new contaminant sources) |

Descriptions for the 5 and 20 year planning periods shall include:

8.04(1) Anticipated Future Demands; [Chapter 46-15.3-5.1 (f) of RI General laws]

| a. | Future demands for 5 & 20 year planning periods described | |
|------|---|---------------|
| | 1. Estimates of: | |
| | Population change | |
| | Economic development | |
| | (Related to planned extensions) | |
| | • Based on existing & future land uses [CCP(s)] | |
| | • If supplier more than 10% estimate difference (explain) | |
| | 2. Estimates of: | |
| | Future wholesale customers | |
| | Expansion due to merger | |
| b. | Legal obligations to provide water | |
| | Intended users | |
| | Amounts required | |
| | Contract duration | |
| c. | Projected future water use or demand by user category: | |
| | • MG/year | |
| | Average daily demand (annual basis) | |
| | Maximum daily demand | |
| | Proposed conservation measures on future demand | |
| d. | Major users by year | |
| d. | Reasonable estimation and evaluation of: | |
| | Fire fighting | |
| | Non-account (system use,unmetered public, meter inaccuracies I-Deedand non-I-Deed major l | eaks |
| f. (| Consideration use match to quality necessary (if, then must be with cros | ss connection |
| (| control program | |

8.04 (2) Available Water [Chapter 46-15.3-5.1 (f) of RI General laws]

Analyze ability to provide potable water:

| 5 & 20 year periods ID timing Quantity additional supplies Facilities required | |
|--|--------|
| a) General policies: | |
| 1) Determination of Safe yield of sources. (using mass balance analysis) | |
| 2) Explain approach and provide analysis | |
| State reasons for utilizing said approach Document measures to safely manage risk Explain proposed procedures if beyond safe yield Greater than 5% not acceptable | |
| 3) Previous analyses on case by case basis | |
| 4) If operating under safe yield: (greater than 1%) | |
| Must undertake demand, supply, system and emergency mgmt measures Effectively reduce risk | |
| 5) Demand exceeds available water | |
| Initiate demand, supply and system management measures as appropriate | |
| b. Determination of safe yield, $(SI - SO = S)$ | |
| Methodology for Safe Yield include at least: | |
| Gauged streamflow data in watershed (or other which ap Runoff related to stream gauge Direct precipitation and evaporation (monthly) Diversions (in & out) factored (existing & proposed) | prox.) |

| | 5. | Consumptive uses evaluated | |
|----|--------|--|---------|
| | 6. | Physical characteristics of reservoir(s) (sea level datum) | |
| | 7. | Reservoirs <150 MG storage/sq. mi.=short & long term dro | oughts |
| | 8. | Operating characteristics of reservoir described | |
| | 9. | Existing & proposed stream releases described | |
| | 10. | Leakage through dam | |
| | 11. | SY utilize sedimentation | |
| | 12. | SY out flow based on monthly draft rate | |
| | 13. | Critical drawdown measured from near full reservoir | |
| | | - Multi-year full res. | |
| | 14. | Numerical or graphical method per items 12 this section OK | |
| c. | Method | ology for determining: | |
| | | Maximum potential yield | |
| | | Maximum well capacity | |
| | | Well efficiency of existing groundwater supplies | |
| | | | |
| | | Water suppliers should present: | |
| | | Summarized description | |
| | | Background documentation should not be included | |
| | | No additional fieldwork required | |
| | 1. | ID aquifer | |
| | | Location of wells | |
| | | Well fields | |
| | | Pertinent hydrologic/geologic info | |
| | | Scaled to need map | |
| | 2 | Description of production and observation wells | |
| | 2. | Material | |
| | | Depth to bedrock | |
| | | • Estimated thickness (if not available) then water table | |
| | | to well bottom | |
| | | Maximum drawdown level | |
| | | Date and results of aquifer tests or redevelopment | |
| | | Including: | <u></u> |
| | | Name of entity conducting | |
| | | • Pump test rate(s) | |
| | | Length of pump test | |
| | | Final pumping level | |

| | • Specific capacity | |
|---------------|---|--------|
| | Transmissivity | |
| | Difficulties in test | |
| | Date and results of quarterly specific capacity | |
| | determination | |
| | Type and rated capacity | |
| | • Duration | |
| | Static water level | |
| | Pumping water level | |
| | Tumping water level | |
| | Well efficiency | |
| | 3. Report maximum potential yield | |
| | 4. Describe any well limitations (physical or regulatory) | |
| d. | Identify limitations for using SY to estimate available water | |
| | Taking initializations for words 2 1 to communic at animote without | |
| | 1. ID existing & future conditions compare available water to | |
| | average maximum daily demand | |
| | · | |
| | Factor in water savings from supply-demand mgt. mea | asures |
| | • ID additional supply if exceed - Include following: | |
| | Existing conditions | |
| | • Future conditions 5 & 20 year | |
| | · | |
| 8.04(3) Alter | rnative Supply [Chapter 46-15.3-5.1 (f) of RI General laws] | |
| | | |
| | ID alternative available water supply sources | |
| | • Reactivation | |
| | Potential interconnections | |
| | Supply augmentation | |
| | Joint use facilities or sources | |
| | Joint use facilities of sources | |
| | Consider: | |
| | General description necessary treatment | |
| | Ability of existing treatment to improve raw w | ater |
| | Capacity of pumping and distribution | |
| | Measures to improve quality of source | |
| | • For source reactivation-necessary measures | |
| | = == == == == == == interior interior interior interior | |

8.04 (4) Supply Augmentation Studies [Chapter 46-15.3-5.1 (f) of RI General laws] Assess alternate water sources Reasons • Ability to meet future demands Necessary construction Lands needed Water rights needed ID competing uses present-future Relationship to CCP's Financing • Timing Life expectancy of facilities 1) If WS operating at a SY of 95% based upon a critical dry period with a probability of occurrence of 5% and unable to document operations at this risk level, they are to initiate supply augmentation studies _____ 2) If all appropriate supply, demand, and system management measures have been implemented and the average daily demand for the most recent years equals or exceeds available water, as defined in section 8.04 (2) then supply augmentation studies shall be initiated. 3) If analysis of the ability to provide an adequate supply of potable water for the 5-year and 20-year period indicates the need for additional sources or facilities, then WS shall initiate supply augmentation studies. Demand Management [Chapter 46-15.3-5.1 (d) of RI General laws] 8.05 Describe measures: To reduce demand for Effectuate efficient use of the states water resources. {Include program to retrofit existing water users not in conformance with 1990

a) Residential Retrofit Program

• Describe steps necessary to establish and administer RRP

state plumbing code standards with water-saving plumbing equipment}_____

| - E.g. hire consultants/staff | |
|---|------------------|
| - Schedule of implementation | |
| Provide for the distribution of retrofit kits | |
| Trovide for the distribution of retroite inte | |
| 1. Minimum RRP requirements: | |
| Annual notification of program objectives and | d achievements; |
| - Water suppliers notify residential class | user |
| - Water efficiency devices | |
| - Installation services | |
| installation services | |
| 2. Retrofit Kits | |
| Describe minimum contents of kit | |
| Investigate other water saving equipment | |
| Minimum standards | |
| Willimum standards | |
| 3. Implementation Schedule (10 yr.) | |
| 3. Implementation Schedule (10 yr.) | |
| Target 10% of residents annually | |
| | |
| 4. Retrofit Kit distribution | |
| Describe distribution method selected | |
| | |
| • Target 10% of residents annually | |
| Acceptable methods include | |
| - Mail or direct delivery | |
| - Door-to-door | |
| - Messages on customer bills (toll free # t | to place orders) |
| - Methods approved by WRB | • |
| • Publish reminders within 30-60 days | |
| 1 donsh feminders within 50 00 days | |
| 5. Public education and information | |
| | |
| Media campaign | ·· |
| - Local schools and civic and other organi | zations |
| b) MUTAP - suppliers to provide technical assistance in; | |
| 7 7 | |
| - Performance of audits | |
| - Formulation and implementation of sanitary | |
| device retrofit Programs | |
| | |

| 1. Minimum plan requirements; |
|--|
| List of major users, Annual water uses Types use Steps to establish program |
| Prioritized schedule |
| 2. Cooperative agreements with owners or management is allowed |
| 3. For major users - implementation description |
| 4. Implementation schedule |
| c) Appropriate fees, rates and charges to reduce demand shall be utilized |
| 8.06 System Management [Chapter 46-15.3-5.1 (e) of RI General laws] |
| Describe measures to insure: |
| • Proper operations |
| Proper maintenance |
| Must state goal to: |
| • Minimize non-account water |
| Achieve and maintain less than 15%Establish long term goal reduction to 10% |
| a) Measures to be described shall include: |
| Meter Installation, Maintenance, Replacement plan |
| 1) WS shall set forth a plan by which all water delivered shall be metered. |
| 2) WS shall effect a program for installation of remote reading systems |
| Programs to be in place by July 1, 2001 |
| 3) WS shall develop programs for recording metered usage and billing |

| • Programs to be in place by July 1, 2001 | |
|--|--------------------|
| 4) For major users, develop a schedule of: | |
| Maintenance and replacement of meters Testing and calibration schedule | |
| 5) Master meters tested once a year and calibrated as necessary | |
| Meter accuracy in conformance with; | |
| AWWA standards c700 series AWWA RI state plumbing code requirements | |
| AWWA not available | |
| Demonstrate capability 95% - 105%Tests shall be documented | |
| b) Leak Detection and Repair (LDR) Plan: [Chapter 46-15.3-5.1(3)(a) or | f RI General Laws] |
| 1) General policy: Plan and schedule Maintain non-account water 15% Conduct leak detection surveys | |
| 2) LDR plan:Describe leak detection methods | |
| 3) Comprehensive sonic leak detection and repair program | |
| Discuss; # of leaks found # fixed Amount of water saved Existing leakage rate (gallons per mile) | |
| 4) Discuss continuing maintenance program | |

| c) | Preventive maintenance plan | |
|----------|---|------------|
| | 1) Schedule for; | |
| | Periodic inspection, Maintenance, Testing all critical components to AWWA standards | |
| | 2) Accurate record keeping of; | |
| | InspectionsRoutine maintenance | |
| | 3) Evaluation of records | |
| | 4) Schedule and performance of corrective measures | |
| | 5) Maintenance of spare parts inventory | |
| | 6) Names and locations of manufacturers and distributors of critical | components |
| 8.07 Eme | rgency Management [Chapter 46-15.3-5.1 (g) of RI General laws] | |
| | Assess system risks and response capabilitiesDescribe a practicable contingency plan | |
| a) | The plan shall: | |
| | Identify natural and human caused risks - severity Identify system risks (not routine) | |
| b) | Identify critical components | |
| | Emergency situations | |
| | | |
| c) | Estimate remaining capabilities | |

| d) | Identify demands on the system |
|------|---|
| | Evaluate level of service sustained |
| | Identify major users |
| | Identify priority users |
| | Identify steps to reduce demand during emergency conditions |
| | |
| e)] | Identify personnel responsible for actions and any training needs |
| f) | For emergency situations describe; |
| | Notification procedures |
| | Means of implementation |
| | |
| | Plan shall include notification of: |
| | • Personnel |
| | • State officials |
| | • Local officials |
| | • Media |
| | • Public |
| | • Users |
| g) | Inventory of: |
| | Emergency equipment |
| | Stand by equipment |
| | Critical spare parts |
| | • Supplies |
| | Procedures for above |
| | |
| | Identify: |
| | Additional equipment |
| | • Parts |
| | • Supply needs |
| | Procedures for obtaining additional equipment |
| | Procedures for loaning available equipment |
| | Stand by power |
| | Electrical outage |
| | Interagency agreements shall be documented |
| h) | Identify sources of emergency water supply within service area |
| · | Identify legal, technical and financial requirements |

| | Include: | |
|------------|---|--|
| | Schedule for activation | |
| | Periodic testing | |
| | Available yield | |
| | • Quality | |
| | Agreements with other water suppliers | |
| i) | May address steps to treat contaminated sources | |
| j) | Specify water supply emergency responses | |
| | Identify: | |
| | • Critical indicators | |
| | • Extent of facility damage | |
| | • Triggers | |
| k) | Outline steps for recovery | |
| | Describe when steps will be activated | |
| 1) | Outline; | |
| | Cost estimates for immediate actions | |
| | • Expenditures to eliminate vulnerabilities | |
| | • Pricing of specific emergency response procedures | |
| | Availability of resources for implementing of Emergency Mgt. | |
| | | |
| m) | Describe relationship of emergency plan with other local or state plans _ | |
| | | |
| 8.08 Imple | ementation Schedule, Responsible Ethics, and Projected Costs [Chapter 46-15.3-5.1 (i) of RI General laws] | |
| a) | For any action taken designate; | |
| | Persons or organizations responsible Others who participate Time period | |

b) For each action taken, estimate costs for;

| | • Capital | |
|-----------|---|--|
| | Operating | |
| | • Maintenance | |
| | | |
| 8.09 Fina | ncial Management [Chapter 46-15.3-5.1 (i) of RI General laws] | |
| a) | General guidelines | |
| | 1) Declining block rates discouraged | |
| | 2) Operate in a financially self-supporting manner | |
| | Reasonable profit allowed (PUC)Intergovernmental service charges shall be fair | |
| | 3) Identify anticipated sources of funds to implement WSSM planCharges limited for plan requirements | |
| b) | Describe current financial management practices and status 1) Include in spreadsheet format: | |
| | • Summary of income and expenses - 3 years | |
| | Operating incomeAnnual water rate revenue | |
| | - Annual water rate revenue- General facility charge revenue | |
| | - Special assessment revenue | |
| | - Reserve fund revenues | |
| | - Other earned or unearned revenue | |
| • Opera | ting Expenses; | |
| | | |
| | - Annual indebtedness | |
| | - Debt service on bonds | |
| | - Operations | |
| | - Maintenance | |
| | - Facility replacement funds Appropriations for major improvements | |
| | Appropriations for major improvements | |

| | Other appropriate expensesGrants, loans, income from bond sales | |
|---|---|--|
| | 2) Describe existing rate structures | |
| | 3) Describe frequency of billing and collection procedures and policies | |
| | c) Future revenue sources: | |
| • | List Discuss For system improvements and programs within 5 years: - Plan of preparation should be prepared describing; • Basic revenue requirements • Maintenance • Improvements • Ability to secure revenue • Assumptions regarding inflation rates, rates • charge and grant eligibility d) Assessment of rates: | |
| | Include necessary changes in rate structure for future improvement | |
| | The following factors should be considered: | |
| | Recovery of all capital and operating costs Marginal cost pricing Emergency and drought period surcharges Seasonal price structures Difference in costs based on points of delivery Effect of fees - on wastewater costs and charges Effect of reducing non-account water - stated goals Costs of preparing, maintaining, and implementing WSN | |
| | e) Billing: | |
| | Bills rendered on regular schedule For joint billing discuss cooperative initiatives Evaluate arrangements with municipalities | |

8.10 Coordination [Chapter 46-15.3-5.1 (h) of RI General laws]

| a) | WSSM plans shall; |
|-----------|--|
| | Be coordinated and consistent with local comprehensive plans |
| | Integrated with municipality plans |
| | • Describe efforts to coordinate |
| | Focus on existing and future land uses, zoning, growth |
| b) | Describe efforts to coordinate with other water suppliers |
| c) | Describe efforts to coordinate with wastewater treatment facilities |
| 8.11 RIG | IS [Chapter 46-15.3-5.1 (c) of RI General laws] |
| a) | All geographic data should be in a form that is able to be transferred directly into RIGIS |
| | Data mapped to USGS standards |
| 9.00 Data | collection Requirements [Chapter 46-15.3-5.1 (c) of RI General laws] |
| 9.01 Repo | orting Requirements [Chapter 46-15.3-5.1 (c) of RI General laws] |
| • | Interim report no later than 30 months from approval date of WSSMP |
| • | Any DEM 30 month date shall be reevaluated |
| • | Amendments may be submitted anytime |
| The 30-m | onth reports shall include: |
| • | Updated water system data |
| • | Status of plan implementation |
| • | Describe progress of specific milestones |
| • | Tasks outlined in approved plan |

a) Plan shall be filed by date determined by WRBb) If exceed 50 million gallons you must file

Threshold determination (from DOH)